



Food and Agriculture Organization
of the United Nations

GHP – SECTION 1

INTRODUCTION AND CONTROL OF FOOD HAZARDS

FAO Good Hygiene Practices (GHP) and
Hazard Analysis and Critical Control Point
(HACCP) Toolbox for Food Safety

GHP – SECTION 1

**INTRODUCTION
AND CONTROL OF
FOOD HAZARDS**

FAO Good Hygiene Practices (GHP) and
Hazard Analysis and Critical Control Point
(HACCP) Toolbox for Food Safety

Food and Agriculture Organization of the United Nations
Rome, 2023

Required citation:

FAO. 2023. *Introduction and control of food hazards – Section 1*. FAO Good Hygiene Practices (GHP) and Hazard Analysis and Critical Control Point (HACCP) Toolbox for Food Safety. Rome. <https://doi.org/10.4060/cc6226en>

The designations employed and the presentation of material in this information product do not imply the expression of any opinion whatsoever on the part of the Food and Agriculture Organization of the United Nations (FAO) concerning the legal or development status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. The mention of specific companies or products of manufacturers, whether or not these have been patented, does not imply that these have been endorsed or recommended by FAO in preference to others of a similar nature that are not mentioned.

© FAO, 2023



Some rights reserved. This work is made available under the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 IGO licence (CC BY-NC-SA 3.0 IGO; <https://creativecommons.org/licenses/by-nc-sa/3.0/igo/legalcode>).

Under the terms of this licence, this work may be copied, redistributed and adapted for non-commercial purposes, provided that the work is appropriately cited. In any use of this work, there should be no suggestion that FAO endorses any specific organization, products or services. The use of the FAO logo is not permitted. If the work is adapted, then it must be licensed under the same or equivalent Creative Commons licence. If a translation of this work is created, it must include the following disclaimer along with the required citation: “This translation was not created by the Food and Agriculture Organization of the United Nations (FAO). FAO is not responsible for the content or accuracy of this translation. The original [Language] edition shall be the authoritative edition.”

Disputes arising under the licence that cannot be settled amicably will be resolved by mediation and arbitration as described in Article 8 of the licence except as otherwise provided herein. The applicable mediation rules will be the mediation rules of the World Intellectual Property Organization <http://www.wipo.int/amc/en/mediation/rules> and any arbitration will be conducted in accordance with the Arbitration Rules of the United Nations Commission on International Trade Law (UNCITRAL).

Third-party materials. Users wishing to reuse material from this work that is attributed to a third party, such as tables, figures or images, are responsible for determining whether permission is needed for that reuse and for obtaining permission from the copyright holder. The risk of claims resulting from infringement of any third-party-owned component in the work rests solely with the user.

Sales, rights and licensing. FAO information products are available on the FAO website (www.fao.org/publications) and can be purchased through publications-sales@fao.org. Requests for commercial use should be submitted via: www.fao.org/contact-us/licence-request. Queries regarding rights and licensing should be submitted to: copyright@fao.org.

CONTENTS

SCOPE AND INSTRUCTIONS FOR USE	1
CONTEXT	2
MINDMAP	6
1.1 GOOD HYGIENE PRACTICES (GHPs)	7
1.2 FOOD HAZARDS	9
1.3 FOOD SAFETY MANAGEMENT	28
FIND OUT MORE	33
KEEP READING	34

Technical note for readers

This PDF file has been designed for use of handheld mobile devices in horizontal view.


This PDF file includes interactive options and links to better browse the document. Clicking on the title icon on the top right corner of each page will bring you either the Content page or the Mind map within the PDF file.

**INTRODUCTION
AND CONTROL OF
FOOD HAZARDS**

SCOPE AND INSTRUCTIONS FOR USE

This guidance document is part of a toolbox of materials and has been developed to provide users with a good understanding of Section 1, Introduction and control of food hazards of the Codex General Principle of Food Hygiene (CXC 1-1969).

Effective and well-established Good Hygiene Practices provide the foundation for food safety management systems. This tool divides the practices into nine sections, as illustrated by the brick schematic below. The section addressed by the current guidance document is indicated by the arrow.



You are here
↑

CONTEXT

Good Hygiene Practices, or GHPs, form the basis of all **food hygiene systems** that support the production of safe and suitable food. **Food business operators** must be aware of **hazards** that could affect their food and ensure that such hazards are properly managed to protect consumer health. GHPs are the foundation of any effective food safety management programme, and implementing them gives food business operators a system for **controlling** food safety hazards.

In the context of food safety, a hazard can be defined as any agent or substance associated with food that has the potential to cause harm when the food is ingested. Hazards encountered in foods can be categorized as chemical (e.g. pesticides), biological (e.g. pathogens) or physical (e.g. extraneous materials) all of which can **contaminate** food at points along the food chain.

CONTEXT

Rationale

The development, implementation and maintenance of GHPs provide the conditions and activities that are necessary to support the production of safe and suitable food at all stages of the food chain from primary production through to handling of the final product. Applied generally, they assist in controlling hazards in food products.

Learning objectives:

This document provides guidance on:

- introduces the principles and guidelines for applying GHPs throughout the food chain to control hazards and ensure food safety;
- explains the points where chemical, biological and physical hazards can be introduced throughout the food chain; and
- illustrates how to apply GHPs to take a preventative approach to controlling hazards in the food value chain.

CONTEXT

Codex definitions:

Allergen cross-contact: The unintentional incorporation of an allergenic food, or ingredient, into another food that is not intended to contain that allergenic food or ingredient.



Contaminant: Any biological, chemical or physical agent, foreign matter or other substances not intentionally added to food that may compromise food safety or suitability.

Contamination: The introduction or occurrence of a contaminant in the food or food environment.

Control (noun): The state wherein correct procedures are being followed and any established criteria are being met; (verb): To take all necessary actions to ensure and maintain compliance with established criteria and procedures.

Food business operator: The entity responsible for operating a business at any step in the food chain.

Food hygiene system: Prerequisite programmes, supplemented with control measures at CCPs, as appropriate that, when taken as a whole, ensure that food is safe and suitable for its intended use.

Food safety: is the assurance that food will not cause adverse health effects to the consumer when it is prepared and/or eaten according to its intended use.

CONTEXT


Food suitability: Assurance that food is acceptable for human consumption according to its intended use.

Hazard: A biological, chemical or physical agent in food with the potential to cause an adverse health effect.

Good Hygiene Practices (GHPs): Fundamental measures and conditions applied at any step within the food chain to provide safe and suitable food.

MINDMAP

This section of the guidance is divided into sub-sections. You can jump to a particular sub-section by clicking on it, or return to this page at anytime by clicking on



1.1 GOOD HYGIENE PRACTICES (GHPs)

GHPs are best practices that generally assist in controlling hazards in food products, but depending on the food or the process, certain GHPs may be particularly important to the safety of the product and may require more attention. General GHPs focus on the product, process, facility and personnel. Examples of commodity-specific GHPs that may require more attention is the quality of irrigation water used for fresh vegetables or the handling of allergens in nut-free processing facility or the cleaning on food contact surfaces for ready-to-eat meat products.

The implementation of GHPs provides conditions and activities required to produce safe and suitable food in all stages of the food chain. GHPs help to control hazards (biological, chemical or physical) associated to food, and growing/processing environment.

1.1 GOOD HYGIENE PRACTICES (GHPs)

An effective GHP implementation can only be ensured if the FBOs fully understand:

- ➔ the food or commodity;
- ➔ the production process;
- ➔ the hazards associated with the food operations; and
- ➔ the necessary control measures to manage hazards adequately.

GHPs are the first steps towards achieving food safety. When these practices are well-established and effective, but are not sufficient to address all hazards, it will be necessary to implement a HACCP system.

The Codex Alimentarius Commission has developed several commodity-specific Codes of Practices on the General Principles of Food Hygiene guidance.



For additional information, please consult the **Further reading** section accessible from the [SECTION LANDING PAGE](#).

1.2 FOOD HAZARDS

Along the food production chain, food hazards can contaminate food products and negatively affect the safety of the food product.

Examples of hazards:

- **biological** - pathogenic microorganisms (e.g. bacteria, viruses and parasites)
- **chemical** - naturally occurring chemicals (e.g. allergens and mycotoxins), added chemicals (e.g. pesticides, heavy metals, sanitizers, plasticizers from packaging materials)
- **physical** - extraneous materials (e.g. metal, glass, wood) and bone fragments

Some foods, based on their inherent nature (e.g. pH, moisture content, water activity), or how they are processed (e.g. ready-to-eat, vacuumed packaged) are more susceptible to certain hazards. Examples of well established hazard/commodity combinations include:

- *Clostridium botulinum* in low-acid, canned foods
- mycotoxins in grains
- undeclared allergens in baked goods and multi-ingredient foods
- bone fragments in meat
- *Listeria monocytogenes* in smoked fish

1.2 FOOD HAZARDS

Hazard identification

When undertaking a hazard assessment for a food or process, all potential hazards should be taken into account but the focus should be placed on those likely to occur and be present. When determining relevant and significant hazards for a food or process the following should be considered:

- Historically, what hazards have been associated with the food product/commodity in question?
- Is there any specific guidance provided for the commodity-hazard combination by government or trade associations?
- What are the potential sources of the hazard and likelihood of it being encountered?
- What is the consequence of the hazard to the consumer?

1.2 FOOD HAZARDS



Things to consider

Historic associations: A review of foodborne illness outbreaks, recalls or food safety incidences can highlight hazards associated with products. For example:

- Ground beef has been linked to outbreaks of *E. coli* O157:H7 (biological), and recalled for antibiotic residues (chemical) and bone fragments (physical).
- Dried herbs and spices have been recalled for *Salmonella* (biological) and mycotoxins.
- Grains and cereals recalled due to mycotoxins.
- Dried fruit recalled due to stones or pits (physical).

Guidance or regulation: Hazard controls can be prescribed by regulators or trade associations. For example, *Clostridium botulinum* cook for low acid canned soup (biological) or permitted food additives and their condition of use and maximum levels of use. The identification of hazards can be based on historic outbreaks or from risk analysis.

1.2 FOOD HAZARDS



Things to consider

Potential sources of hazards: Controlling food hazards starts with knowing their source and how they can be introduced into raw materials, processes and final food products:

- Water can transfer biological, chemical and physical hazards that may contaminate the product.
- Fecal material from animals or humans can be a source of pathogenic microorganisms that can contaminate foods directly or indirectly (e.g. water, handling, air).
- Food handlers: Humans can harbor and transfer a wide variety of infectious agents (viruses, bacteria, parasites) to products while handling these.
- Unsanitary surfaces: If common food contact surfaces (e.g. slicer, knife) are not cleaned, sanitized or properly maintained then biological, chemical, or physical agents (microorganisms, allergens, etc.) can be transferred between products. In addition, if sanitizers are not food grade or are used inappropriately, they could also represent a chemical hazard.

1.2 FOOD HAZARDS

Chemical hazards

Chemical contaminants in food may be naturally occurring or may be added during the processing of food. Harmful chemicals at high levels have been associated with acute cases of foodborne illnesses and can be responsible for chronic illness at lower levels.

Different types of chemical substances can be present in foods for many reasons. Chemical agents are present in foods either intentionally or unintentionally. Intentional chemical agents can include additives, pesticides, veterinary drugs, and adulterants. Unintentional chemical agents can include sanitizing or other chemicals, environmental chemicals, and naturally existing toxins.

1.2 FOOD HAZARDS

Chemical hazard	Source of contamination in the food chain examples
Pesticide residue exceeding maximum residue limits (MRLs)	<ul style="list-style-type: none"> • Poor quality pesticides. • Applying higher than recommended dosages. • Dumping or accidental spilling of pesticide into water source or soil.
Heavy metal residues exceeding maximum levels	<ul style="list-style-type: none"> • Continued use of fertilizers with high heavy metal levels. • Irrigation water.
Non-pesticide chemical agents (sanitizers and cleaning agents, adhesives, lubricants, paint, etc.)	<ul style="list-style-type: none"> • Use of non-food grade agents. • Contaminated storage containers or equipment. • Oil leaks, paint, grease on equipment in contact with food. • Chemical spillage.
Naturally occurring toxins (mycotoxins, allergens, etc.)	<ul style="list-style-type: none"> • Unacceptable storage conditions (excess humidity or light leading to mold growth). • Allergen cross-contact.
Intentionally added chemical agents	<ul style="list-style-type: none"> • Preservatives. • Dyes and other colouring agents.

1.2 FOOD HAZARDS

Approaches to control for chemical hazards

To minimize the effect of unsafe chemicals in foods, **standards** have been developed that define their permitted maximum levels in a food product. Specialized Codex Alimentarius Committees, such as the Codex Committee on Food Additives (CCFA) develop guidance on the control of chemical residues and contaminants in foods. **Farmers, suppliers, and food producers need to properly use approved chemicals to not exceed Maximum Residual Limits (MRLs) in the foods they produce.**



For additional information on MRLs, please consult the **Further reading** section accessible from the [SECTION LANDING PAGE](#).

1.2 FOOD HAZARDS

Intentionally added chemical agents	Unintentionally added chemical agents (contaminants)
<ul style="list-style-type: none"> • Maximum Residue Limits (MRLs) define maximum permitted concentration. 	<ul style="list-style-type: none"> • Maximum Levels (MLs) define the maximum concentration of contaminants and natural toxicants.
<ul style="list-style-type: none"> • Maximum use levels ensure that intake of additive does not exceed the Acceptable Daily Intake. 	<ul style="list-style-type: none"> • Extraneous Maximum Residue Limits (EMRLs) refer to compounds banned for agricultural uses, which are persistent in the environment.

1.2 FOOD HAZARDS

Biological hazards

Biological hazards are microbiological organisms such as bacteria, viruses, fungi and parasites, and are the main cause of acute foodborne illness in humans. These organisms are commonly associated with humans and with raw products entering the food establishment. Most are killed or inactivated by cooking, and numbers can be minimized by adequate control of handling and storage practices (hygiene, temperature and time).

Different pathogens appear to be adapted for certain food types/food industries. For example:

- *Salmonella* spp. in poultry and eggs
- *Campylobacter* spp. in poultry
- *E. coli* O157:H7 in beef
- Tapeworm (*Taenia saginata*) in beef
- *Clostridium botulinum* in canned/tinned foods
- Toxin-producing marine algae in seafood
- *Vibrio parahaemolyticus* in shellfish

1.2 FOOD HAZARDS

Examples of biological hazards

Many of these microorganisms occur naturally in the environment where foods are grown. To grow, microorganisms generally require moisture, food, temperature, and time. Microbial growth is also influenced by the pH of the environment, the presence or absence of oxygen and other competing microorganisms.

1.2 FOOD HAZARDS

Source of contamination	Examples of possible microorganisms of concern
Air	<ul style="list-style-type: none"> • <i>Bacillus</i> spp. • Fungi
Soil	<ul style="list-style-type: none"> • <i>Bacillus</i> spp. • <i>Clostridium</i> spp.
Water	<ul style="list-style-type: none"> • <i>E. coli</i> • <i>Giardia</i> spp.
Plants	<ul style="list-style-type: none"> • <i>Listeria monocytogenes</i> • Moulds • Yeasts
Animals	<ul style="list-style-type: none"> • <i>Salmonella</i> spp. • <i>E. coli</i> • <i>Campylobacter</i> spp.
Food handlers	<ul style="list-style-type: none"> • <i>Staphylococcus aureus</i> • Hepatitis • Norovirus
Food manufacturing facilities	<ul style="list-style-type: none"> • <i>Listeria monocytogenes</i>

1.2 FOOD HAZARDS

Types of biological hazards → Bacteria

The majority of reported foodborne disease outbreaks and cases are caused by pathogenic bacteria. They can:

- survive for long periods of time in nature and in food processing environments;
- form biofilms resistant to chemical sanitizers;
- multiply quickly (e.g. doubling every 20 to 30 minutes at 37°C);
- can be beneficial and used to produce foods such as fermented fish and yogurt; and
- can be heat resistant (e.g. spore-formers such as *Clostridium botulinum* or *Bacillus cereus*).

1.2 FOOD HAZARDS

Types of biological hazards → Fungi

Yeasts and moulds are very hardy and can grow under many conditions, they:

- need oxygen to grow;
- generally are very resistant to heat and other disinfection treatments, especially when present as spores;
- can be beneficial and are used to produce certain foods, such tea and alcohol-containing beverages and cheese; and
- can also be very dangerous as they produce toxins such as mycotoxins, some of which have been linked to cancer.

1.2 FOOD HAZARDS

Types of biological hazards → Parasites

Parasitic infections are commonly associated with undercooked meat products or contaminated ready-to-eat food, they:

- can be introduced through contaminated water or food handlers;
- do not grow in foods;
- cannot be cultured using laboratory methods; and
- can be destroyed by thorough cooking.

Please note that:

- Freezing may kill parasites in raw and undercooked fish.
- Only a small number of organisms are usually needed to cause illness.

1.2 FOOD HAZARDS

Types of biological hazards → Viruses

Viruses can be foodborne/water-borne or transmitted to food by human, animal or other contact. They:

- do not grow in foods;
- can cause illness when present in small numbers;
- are persistent in the environment;
- contaminate foods through water, fecal material and food handlers; and
- generally are resistant against disinfection, especially those that are small and do not contain an envelope in their structure.

1.2 FOOD HAZARDS

Methods to control for biological hazards:

- Preventing the introduction of microorganisms into foods (e.g. food safety measures during primary production, hygienic production premises).
- Inactivating microorganisms in foods (e.g. pasteurising, cooking, sterilising).
- Inhibiting the growth of microorganisms in foods (e.g. modified atmosphere packaging, cool chain).

Depending on the point in the value chain, one or a combination of these three approaches can be applied.

1.2 FOOD HAZARDS

Microbiological criteria

Microbiological testing can be executed to determine acceptability of a product or food lot.

However, this has limitations when assessing the safety of foods (sampling limitations, technological restrictions and length of time to obtain results).

Therefore... **A preventive approach to food safety offers more control than sampling and testing.**

Codex definition:

Microbiological criterion: defines the acceptability of a product or a food lot, based on the absence or presence, or number of microorganisms including parasites, and/ or quantity of their toxins/ metabolites, per unit(s) of mass, volume, area or lot.



1.2 FOOD HAZARDS

Physical hazards

Physical hazards are foreign objects that can pose harm to consumers, including choking, internal injuries and broken teeth. Typical examples include materials such as glass, wood, metal and stones.

Physical hazards

Source of contamination examples:

From the environment

- Harvesting environment (stones)
- Poorly maintained equipment and storage areas

From equipment and processing area

- Broken lighting fixtures and gauges (glass and plastic)
- Damaged pallets (wood)
- Inadequate cleaning and maintenance

Foreign objects from handling by personnel

- Careless or untrained staff
- Unsuitable clothing

1.2 FOOD HAZARDS

Methods to control physical hazards

Physical hazards can be control through observation and mechanical means, such as:

- proper sorting and cleaning of incoming raw materials;
- routine checks and audits of all glass and brittle plastic in the processing environment;
- on-line metal detectors and magnets;
- on-line filters and screens; and
- X-ray technology.

1.3 FOOD SAFETY MANAGEMENT

Foodborne disease and threats to food safety are a significant public health problem. Although government bodies are responsible for producing and enforcing national food safety policies and regulations, all parties in the food production chain are responsible for the safety of the foods they produce or handle. Food is considered safe when it does not cause illness or injury due to the presence of biological, chemical, and physical agents.

Contamination of food products can occur at all points throughout the food production chain. That's why it is important to understand and implement the elements of successful food safety management Food and codes of good practice.

Measures should be taken where necessary to:

- protect food from potential sources of contamination;
- protect food from damage likely to render the food unsuitable for consumption; and
- provide an environment which effectively controls the growth of pathogenic or spoilage microorganisms and the production of toxins by these microorganisms in food.

1.3 FOOD SAFETY MANAGEMENT

What is a GMP programme?

A food business operator's GMP programmes should cover both the safety and quality aspects of food production. They describe the principles, procedures, and means needed to create an environment suitable for the production of safe food.

A GMP programme should describe:

- organizational structures and responsibilities;
- documented procedures and processes; and
- available resources.

GMP programmes should be adapted and continuously improved by performing regular audits, reviews, and updates.



Documentation is a critical part of a GMP programme. Demonstrating compliance to these programmes requires documentation and record keeping to demonstrate how all aspects and areas of concern are managed.

1.3 FOOD SAFETY MANAGEMENT

Goal of a GMP programme: To create a valuable internal source of know-how and to be able to demonstrate to auditors or customers how food safety concerns are managed and controlled.

In their attempt to minimize foodborne illness, most governments incorporate Codex guidelines and recommendations into their food legislation. Food safety authorities require that food processors identify and control steps that are critical to food safety. Compliance with this requirement requires a documented food safety and quality management system.

1.3 FOOD SAFETY MANAGEMENT

Benefits of following good hygiene practices:

- Safe and wholesome food
- Raising customer confidence
- Increased compliance to regulatory requirements
- Minimizing risk of costly food recalls associated with unsafe food
- Creating a workforce that understand the concept of safe food production
- Reducing waste during the whole production process
- Opening up to market opportunities (large distributors that require certified suppliers, access to international markets, etc.)

1.3 FOOD SAFETY MANAGEMENT

Food safety culture

Fundamental to the successful functioning of any food hygiene system is the establishment and maintenance of a positive food safety culture acknowledging the importance of human behaviour in providing safe and suitable food. The following elements are important in cultivating a positive food safety culture:

- Commitment of management and all personnel to the production and handling of safe food.
- Leadership to set the right direction and to engage all personnel in food safety practices.
- Awareness of the importance of food hygiene by all personnel in the food business.
- Open and clear communication among all personnel in the food business, including communication of deviations and expectations.
- Availability of sufficient resources to ensure the effective functioning of the food hygiene system.

FIND OUT MORE



For additional information on the following topics related to this section, please consult the **Further reading** section accessible from the [SECTION LANDING PAGE](#).

Where can I find guidelines on the maximum levels for contaminants in food products?

Where can I find more information about microbiological criteria?

Where can I find guidance on GHP specific to meat and meat products?


Where can I find guidance on GHP specific to fish and fishery products?

Where can I find information regarding Good Agricultural Practices (GAP) for primary producers?

Where can I find guidance on GHP specific to dairy and dairy products?

KEEP READING

The next section of our GHP toolbox will be Primary production.
To continue reading, click on the highlighted brick below.



Click here for the
next section

FEEDBACK ON THIS GUIDANCE MATERIAL IS ALWAYS WELCOMED!

Please contact us at: food-quality@fao.org

KEEP READING

GHP and HACCP Toolbox for Food Safety
www.fao.org/good-hygiene-practices-haccp-toolbox

FOOD SYSTEMS AND FOOD SAFETY –
ECONOMIC AND SOCIAL DEVELOPMENT
www.fao.org/food-safety

FOOD AND AGRICULTURE ORGANIZATION OF THE UNITED NATIONS
ROME, ITALY