



Food and Agriculture Organization  
of the United Nations

AGP: CP/100

FAO SPECIFICATIONS  
FOR PLANT PROTECTION PRODUCTS

**MECOPROP**

Food and Agriculture Organization of the United Nations  
Rome, 1984

Group on Pesticide Specifications

FAO Panel of Experts on Pesticide Specifications, Registration Requirements and Application  
Standards

Technical Secretary: Dr. A.V. Adam  
Plant Protection Service  
Plant Production and Protection Division

FAO  
Via delle Terme di Caracalla  
00100 Rome, Italy - Telex: 610181 FAO I

## CONTENTS

DISCLAIMER .....	4
INTRODUCTION TO FAO SPECIFICATIONS DEVELOPED UNDER THE OLD PROCEDURE.....	5
SUBMISSION OF DRAFT SPECIFICATIONS TO FAO .....	8
INFORMATION.....	9
MECOPROP TECHNICAL.....	10
MECOPROP METAL SALTS TECHNICAL.....	13
MECOPROP SALT AQUEOUS SOLUTIONS .....	16

## **DISCLAIMER<sup>1</sup>**

FAO specifications are developed with the basic objective of promoting, as far as practicable, the manufacture, distribution and use of pesticides that meet basic quality requirements.

Compliance with the specifications does not constitute an endorsement or warranty of the fitness of a particular pesticide for a particular purpose, including its suitability for the control of any given pest, or its suitability for use in a particular area. Owing to the complexity of the problems involved, the suitability of pesticides for a particular purpose and the content of the labelling instructions must be decided at the national or provincial level.

Furthermore, pesticides which are manufactured to comply with these specifications are not exempted from any safety regulation or other legal or administrative provision applicable to their manufacture, sale, transportation, storage, handling, preparation and/or use.

FAO disclaims any and all liability for any injury, death, loss, damage or other prejudice of any kind that may arise as a result of, or in connection with, the manufacture, sale, transportation, storage, handling, preparation and/or use of pesticides which are found, or are claimed, to have been manufactured to comply with these specifications.

Additionally, FAO wishes to alert users to the fact that improper storage, handling, preparation and/or use of pesticides can result in either a lowering or complete loss of safety and/or efficacy.

FAO is not responsible, and does not accept any liability, for the testing of pesticides for compliance with the specifications, nor for any methods recommended and/or used for testing compliance. As a result, FAO does not in any way warrant or represent that any pesticide claimed to comply with a FAO specification actually does so.

---

<sup>1</sup> This disclaimer applies to all specifications published by FAO.

## **INTRODUCTION TO FAO SPECIFICATIONS DEVELOPED UNDER THE OLD PROCEDURE**

Between 1975 and 2000, FAO published booklets of specifications for technical materials and related formulations of plant protection products. Revisions of, and additions to, already published specifications will be issued when necessary. However, all changes and revisions of FAO specifications are now subject to the new procedure described in the *Manual on the development and use of FAO and WHO Specifications for Plant Protection Products*, FAO Plant Production and Protection Paper No. 173, Rome 2002 (*Revised First Edition* available only on the FAO home page of the Internet at: <http://www.fao.org/pest-and-pesticide-management/en/> )

FAO specifications developed under the old procedure are based on the requirements defined in the Fourth Edition of the *Manual on the development and use of FAO specifications for plant protection products*, Plant Production and Protection Paper No. 128, Rome 1995.

This manual contained detailed definitions and other essential background information on basic procedures and technical principles adopted by the group on Pesticide Specifications of the FAO Panel of Experts on Pesticide Specifications, Registration Requirements, Application Standards and Prior Informed Consent, such as:

### 1. Categories of Specifications (Section 3.1 of the Manual)

FAO Tentative Specifications (Code 'S/T', formerly 'TS') are those which have been recommended by FAO as preliminary specifications and which are based on minimum requirements. The methods of analysis cited are normally supplied by the manufacturer or may already have been published or be the subject of collaborative work.

FAO Provisional Specifications [Code 'S/P', formerly ('S')] are those for which more evidence of the necessary parameters is available and where some collaborative study of the methods of analysis has been carried out.

FAO (full) Specifications (Code 'S/F', formerly 'S').

Specifications that have all necessary requirements together with CIPAC (full) methods, or other collaboratively studied (proven) methods.<sup>2,3</sup>

Wherever possible, standards for apparatus and common names for pesticides are those approved by the International Organization for Standardization (ISO).

### 2. Expression of active ingredient content (Section 4.2.5 of the Manual)

- for solids, liquid technical materials, volatile liquids (of maximum boiling point 50°C) and viscous liquids (with minimum kinematic viscosity of  $1 \times 10^3 \text{ m}^2/\text{s}$  at 20°C) the FAO Specification shall be based on expression of the content as g/kg;

- for all other liquids the active ingredient content of the product shall be declared in terms of g/kg *or* g/l at 20°C. If the customer requires both g/kg *and* g/l at 20°C, then in case of dispute the analytical results shall be calculated as g/kg.

### 3. Tolerance on content (Section 4.2.7 of the Manual)

A declared content of active ingredient must be included in all specifications, and one of the problems immediately arising is the level of tolerance acceptable about the nominal figure. The tolerance is influenced by (a) the reproducibility of the method of analysis, (b) the sampling error and (c) the manufacturing variance.

Allowable variations in analytical results (i.e. tolerances in content of active ingredient) with respect to specific pesticide consignments are intended to cover reasonable variations in the contents of active ingredients. For examples of such tolerances, see the table in Section 4.2.7 of the Manual.

### 4. Containers/packaging

FAO guidelines are in preparation.

Containers shall comply with pertinent national and international transport and safety regulations.

#### Technical materials, dustable powders and granules

Containers shall be suitable, clean, dry and as specified, and shall not adversely affect, or be affected by, the contents, but shall adequately protect them against external conditions.

#### Wettable powders

The product shall be packed in suitable, clean, dry containers as specified in the order. The container shall provide all necessary protection against compaction, atmospheric moisture, loss by vaporization and/or contamination to ensure that the product suffers no deterioration under normal transit and storage conditions.

The product shall be protected by an adequate moisture barrier. This may be a suitable bag of polyethylene or alternative means of giving equal or better protection.

#### Solutions and emulsifiable concentrates

Containers shall be lined, where necessary, with a suitable material, or the interior surfaces shall be treated to prevent corrosion and/or deterioration of the contents.

Additional information should be given in all specifications where particular pesticides present problems in packaging.

## 5. Biological information

### Phytotoxicity

No test can be specified to cover the possible phytotoxicity of a formulation to all crops. When a crop is not mentioned in the instructions for use, purchasers should check with the supplier that the material is suitable, always provided that such a use is not restricted or legally forbidden.

### Wetting of crops

The dilute spray should satisfactorily wet the leaves of the specified crops when used in accordance with the instructions. Test method MT 53.2, CIPAC F, p.162, may be useful.

---

<sup>1</sup> *Should national pesticide specifications developed from these approved FAO specifications deviate from them, the National Authority responsible for making such changes is requested to inform the FAO Plant Protection Service of the nature of, and the reasons for, the modifications.*

<sup>2</sup> *Methods of analysis and miscellaneous techniques referred to in these specifications have been developed and adopted by CIPAC (Collaborative International Pesticides Analytical Council Ltd.). See CIPAC Handbooks 1 (1970), 1A (1980), 1B (1983), 1C (1985), D (1988), E (1993), F (1995), G (1995), CIPAC Proceedings 1980 and 1981, obtainable from Black Bear Press Limited, King's Hedges Road, Cambridge CB4 2PQ, England. The page numbers of specific methods are given in parentheses in the specifications. Copies of methods not yet published can be obtained from the FAO Plant Protection Service.*

<sup>3</sup> *Information on standard waters for laboratory evaluation of pesticidal formulations will be found in CIPAC Monograph 1, Standard Waters and an FAO Survey on Naturally Occurring Waters (1972), Black Bear Press Limited, King's Hedges Road, Cambridge CB4 2PQ, England.*

## **SUBMISSION OF DRAFT SPECIFICATIONS TO FAO**

Any organization, commercial firm or interested individual is encouraged to submit relevant specifications, or proposals for revision of existing specifications, for pesticide products for consideration and possible adoption by FAO. Correspondence should be addressed to the Pesticide Management Group, Plant Production and Protection Division, FAO, Viale delle Terme di Caracalla, 00153 Rome, Italy.

General guidelines on preparing draft specifications are given in the *Manual on the development and use of FAO and WHO Specifications for Plant Protection Products*, FAO Plant Production and Protection Paper No. 173, Rome 2002 (Revised First Edition available only on the FAO home page of the Internet at: <http://www.fao.org/pest-and-pesticide-management/en/> ).

Specifications which are considered suitable for further processing are assigned priorities and circulated to appropriate organizations and specialists to comment. Comments, together with other relevant information, are then reviewed in detail by the Group on Specifications of the FAO Panel of Experts on Pesticide Specifications, Registration Requirements, Application Standards and Prior Informed Consent. The drafts are converted into FAO Provisional Specifications, or full FAO Specifications.



## INFORMATION

COMMON NAME:	MECOPROP
CIPAC CODE NO:	51
EMPIRICAL FORMULA:	C <sub>10</sub> H <sub>11</sub> ClO <sub>3</sub>
RMM:	214.6

Mecoprop is the ISO common name for ( $\pm$ )-2-(4-chloro-o-tolyloxy)propionic acid (IUPAC); 2-(4-chloro-2-methylphenoxy) propanoic acid (CA; Registry No. 98-65-2).

**MECOPROP TECHNICAL**  
FAO Provisional Specification October 1983  
(51/TC/(S)/- )

**.1 DESCRIPTION**

The material shall consist of grades of mecoprop together with related manufacturing impurities, which are white to brown crystals, granules, flakes or powder with not more than slight odour.

**.2 ACTIVE INGREDIENT**

**.2.1 Identity tests (CIPAC P81, p. 281)**

Where the identity of the material is in doubt the extractable acids shall comply with any two of the following tests:

**.2.1.1 IR**

The spectrum produced from the sample shall be consistent with that produced from a standard mecoprop.

**.2.1.2 GLC**

The major component in the sample chromatogram shall have the same retention time as that from a standard mecoprop chromatographed under identical conditions.

**.2.1.3 TLC**

The major component in the sample chromatogram shall have the same R<sub>f</sub> value as that from a standard mecoprop.

**.2.2 Extractable acids (CIPAC P81, p. 281)**

The total extractable acid content calculated on the anhydrous basis and expressed as mecoprop shall be not more than 1.15x where x is the content of mecoprop found under .2.3.

**.2.3 Mecoprop (CIPAC 1C, p. 2158)**

The mecoprop content shall be declared (minimum declared 840 g/kg) calculated on the anhydrous basis and when determined the content obtained shall not differ from that declared by more than +/- 40 g.

### **.3 WATER** (MT 30.2, CIPAC 1, p. 899)

#### **.3.1 Dry acids**

Maximum: 15 g/kg (Note 1).

#### **.3.2 Wet acids**

Material containing more than 15 g/kg of water is available (Note 2). The approximate water content shall be stated.

### **.4 IMPURITIES**

#### **.4.1 Free phenols<sup>2</sup>**

Maximum: 15 g/kg (Note 3) expressed as 4-chloro-2-methylphenol (Note 4), of the mecoprop content found under .2.3 (Note 5).

#### **.4.2 Sulphated ash** (MT 29.1, CIPAC 1A, p. 1562; Note 6)

Maximum: 10 g/kg.

#### **.4.3 Triethanolamine insolubles<sup>3</sup>**

A triethanolamine solution of the material shall leave not more than 1 g/kg residue on a 105 µm test sieve and the sieved solution shall be clear or opalescent and shall contain not more than a trace of sediment.

### **.5 CONTAINERS**

They should be suitable, clean, dry and as specified in the order and should adequately protect the material from external influences.

They should comply with pertinent national and international transport and safety regulations.

NOTE 1      Use 50 g of sample.

NOTE 2      Difficulties of obtaining representative samples increase with increasing water content and may lead to erroneous results. The validity of the methods cited has been established only for technical materials containing up to 15 g/kg water.

---

<sup>2</sup> The analytical method for determination of the relevant impurity is available from the Pesticide Management Group of the FAO Plant Protection Service, or can be [downloaded here](#)

<sup>3</sup> The analytical method for determination of the relevant impurity is available from the Pesticide Management Group of the FAO Plant Protection Service, or can be [downloaded here](#).

NOTE 3 Interim limit which will be reviewed when collaborative work is complete on determination of free phenols.

NOTE 4 The content of free phenols is limited to avoid possible taint of neighbouring crops and foodstuffs.

NOTE 5 On a 850 g/kg mecoprop content the maximum permitted free phenol content would be 19.8 g/kg of the material.

NOTE 6 Use 10 g of sample.

**MECOPROP METAL SALTS TECHNICAL**  
FAO Provisional Specification October 1983  
(51.1/TC/(S)/ -)

**.1 DESCRIPTION**

The material shall consist of mecoprop metal salts, together with related manufacturing impurities, which are white to brown crystalline powders with not more than slight odour.

**.2 ACTIVE INGREDIENT**

**.2.1 Salt(s)**

The name of the salt(s) present shall be stated (Note 1).

**.2.2 Identity tests (CIPAC 1C, p. 2162)**

Where the identity of the material is in doubt the extractable acids shall comply with any two of the following tests:

**.2.2.1 IR**

The spectrum produced from the sample shall be consistent with that produced from a standard mecoprop.

**.2.2.2 GLC**

The major component in the sample chromatogram shall have the same retention time as that from a standard mecoprop chromatographed under identical conditions.

**.2.2.3 TLC**

The major component in the sample chromatogram shall have the same R<sub>f</sub> value as that from a standard mecoprop.

**.2.3 Extractable acids (CIPAC 1C, p. 2162)**

The total extractable acid content calculated on the anhydrous basis and expressed as mecoprop shall be not more than 1.15x where x is the content of mecoprop found under .2.3.

**.2.4 Mecoprop (CIPAC 1C, p. 2163)**

The mecoprop content shall be declared (minimum declared 840 g/kg of the theoretical content) calculated on the anhydrous basis and when determined the content obtained shall not differ from that declared by more than +/- 40 g.

**.3 IMPURITIES**

### **.3.1 Free phenols<sup>4</sup>**

Maximum: 15 g/kg (Note 2), expressed as 4-chloro-2methylphenol (Note 3), of the mecoprop content found under .2.3 (Note 4).

### **.3.2 Water** (MT 30.2, CIPAC 1, p. 899)

Maximum: 15 g/kg (Note 5).

### **.3.3 Water insolubles** (MT 10.4, CIPAC F. p.29)

An aqueous solution of the material shall pass completely through a 250 µm test sieve, not more than 1 g/kg shall remain on a 150 µm test sieve, and the sieved solution shall be clear or opalescent and shall contain not more than a trace of sediment.

## **.4 PHYSICAL PROPERTIES**

### **.4.1 Rate of solution\***

All the product, other than the insoluble material found under .3.3, shall dissolve in 5 min in distilled water and the solution, after standing for 18 h, shall have not more than a trace of additional sediment.

## **.5 CONTAINERS**

They should be suitable, clean, dry and as specified in the order and should adequately protect the material from external influences.

They should comply with pertinent national and international transport and safety regulations.

NOTE 1 In the case of mixed salts the approximate percentage of each shall be stated.

NOTE 2 Interim limit which will be reviewed when collaborative work is complete on determination of free phenols.

NOTE 3 The content of free phenols is limited to avoid possible taint of neighbouring crops and foodstuffs.

NOTE 4 On a 720 g/kg mecoprop content the maximum permitted free phenol content would be 10.8 g/kg of the material.

---

<sup>4</sup> The analytical method for determination of the relevant impurity is available from the Pesticide Management Group of the FAO Plant Protection Service, or can be [downloaded here](#)

NOTE 5      Excluding water of hydration.

**MECOPROP SALT AQUEOUS SOLUTIONS**  
FAO Provisional Specification October 1983  
(51.1/SL/(S)/ -)

**.1 DESCRIPTION**

The product shall consist of mecoprop (complying with the FAO Provisional Specification October 1983) as the active ingredient formulated as a mecoprop salt aqueous solution. It shall be free from visible suspended matter or sediment.

**.2 ACTIVE INGREDIENT**

**.2.1 Salt(s)**

The names of the mecoprop salt(s) present shall be stated (Note 1).

**.2.2 Identity tests (CIPAC 1C, p. 2163)**

Where the identity of the active ingredient is in doubt the extractable acids shall comply with any two of the following tests:

**.2.2.1 IR**

The spectrum produced from the sample shall be consistent with that produced from a standard mecoprop.

**.2.2.2 GLC**

The major component in the sample chromatogram shall have the same retention time as that from a standard mecoprop chromatographed under identical conditions.

**.2.2.3 TLC**

The major component in the sample chromatogram shall have the same R<sub>f</sub> value as that from a standard mecoprop.

**.2.3 Extractable acids (CIPAC 1C, p. 2164)**

The extractable acid content expressed as mecoprop shall be not more than 1.15x where x is the content of mecoprop found under .2.4 (Note 2).

**.2.4 Mecoprop (CIPAC 1C, p. 2164)**

The nominal mecoprop content (g/l at 20 C or g/kg; Note 3) shall be declared and when determined the content obtained shall differ from that declared by not more than +/- 5% of the declared content.

**.3 IMPURITIES**



### **.3.1 Free phenols<sup>5</sup>**

Maximum: 15g/kg(Note 4), expressed as 4-chloro-2-methylphenol (Note 5), of the mecoprop content found under .2.4 (Note 6).

### **.3.2 Water insolubles (MT 10.4, CIPAC F. p.29)**

The product shall pass through a 250 µm test sieve and not more than 1 g/kg shall remain on a 150 µm test sieve.

## **.4 PHYSICAL PROPERTIES**

### **.4.1 Stability on dilution (MT 41, CIPAC 1, p. 933)**

The product, after dilution with CIPAC Standard Water C, shall give a clear or opalescent solution, i.e., free from more than a trace of sediment and/or visible solid particles.

## **.5 STORAGE STABILITY**

### **.5.1 Stability at 0 C (MT 39.2, CIPAC 1, p. 932)**

After storage at 0 C (Note 7) for 48 hours there shall be no separation of material from the product.

### **.5.2 Stability at 54°C\***

After storage at 54 +/- 2 C for 14 days the product shall continue to comply with .2.4, .3.2, .4.1 and .5.1.

## **.6 CONTAINERS**

They should be lined, where necessary, with a suitable material or the interior surfaces treated to prevent corrosion and/or deterioration of the contents.

They should comply with pertinent national and international transport and safety regulations.

NOTE 1 In the case of mixed salt formulations the approximate content of each shall be stated.

NOTE 2 On a mecoprop content of 500 g/kg the maximum permitted extractable acid content would be 500 x 1.15, i.e.,

NOTE 3 If the buyer requires both g/l at 20 C and g/kg then in cases of dispute the analytical results shall be calculated as g/kg.

---

<sup>5</sup> The analytical method for determination of the relevant impurity is available from the Pesticide Management Group of the FAO Plant Protection Service, or can be [downloaded here](#)

NOTE 4 Interim limit which will be reviewed when collaborative work is complete on determination of free phenols.

NOTE 5 The content of free phenols is limited to avoid possible taint of neighbouring crops and foodstuffs.

NOTE 6 On a content of 400 g/kg mecoprop the maximum permitted free phenol content would be 6 g/kg of the product.

NOTE 7 A test temperature of 0°C may not be suitable for products intended for use in cold countries, and alternative test temperatures may be specified.